


MEGA FORTRIS MIDDLE EAST

Prevention · Protection · Peace of Mind

www.megafortris.ae



MEGA FORTRIS
G R O U P



Legend

| | | | |
|----|----------------|----|------------------|
| M | Materials | D | Diameter |
| TL | Total Length | TS | Tensile Strength |
| LL | Locking Length | A | Applications |

High Security Seals

Fortified ISO 17712 and C-TPAT-compliant security seals constructed with materials such as steel, airline cables and aluminium to delay tampering. Must be removed with bolt cutters or cable cutters.

Security Seals

Cost-effective, semi-barrier security seals constructed and manufactured of materials that provide limited resistance to intrusion and require lightweight tools for removal.

Indicative Seals

Seals constructed and manufactured of materials that can easily be removed by hand or by using a simple snipping tool or shear. These seals provide highly-visible tamper evidence and easy identification for operation efficiency.

Security Boxes, Labels, Pouches and Bags

Highly customizable, our tamper-evident labels, pouches, bags and boxes are suitable for a range of applications such as ATM cassettes, cash-in-transit and confidential documents and handling carton boxes.

SECURITY SEALS

High Security Seals

ISO 17712 "H" Compliant * C-TPAT Compliant



Klicker 2K

| | |
|----|----------------------------------------------|
| M | Aluminium body with non-performed steel wire |
| TL | - |
| LL | 3.5 / 5.0 mm |
| D | 2.5 / 3.0 / 3.5 / 5.0 mm |
| TS | 1200 – 1300 kg |
| A | Containers and trailers |



Klicker

| | |
|----|------------------------------|
| M | Solid steel moulded with ABS |
| TL | 85 mm |
| LL | 50 mm |
| D | 7.0 mm |
| TS | 1500 kg |
| A | Containers and trailers |



Mega Flexi Lock

| | |
|----|------------------------------------------------------------------|
| M | Aluminium body and ABS coated bolt with non-preformed steel wire |
| TL | - |
| LL | 8.0 mm |
| D | 5.0 mm (Cable) & 11.9 mm (Bolt) |
| TS | 1300 kg |
| A | Smart double-locking for containers and trailers |



MF Bar

| | |
|----|-----------------------------------------------------------|
| M | Solid steel bar locked by a steel bolt seal |
| TL | Bar (555 mm), Bolt (35 mm) |
| LL | - |
| D | Bar: 35 x 555 mm Bolt seal: 11.0 x 35.0 mm |
| TS | 2100 kg |
| A | Locking bar to seal both doors on containers and trailers |



Container Bolt Lock

| | |
|----|----------------------------------------|
| M | Solid steel with optional ABS moulding |
| TL | 85 mm |
| LL | 52 mm |
| D | 8.0 mm |
| TS | 1800 kg |
| A | Container, trailers and rail cars |



MCL 500 Z MCL 350 Z

| | |
|----|-----------------------------------------------------------|
| M | Galvanized iron cable, steel locking mechanism & ABS coat |
| TL | 300 mm / 325 mm |
| LL | Customizable |
| D | 3.5 mm / 5.0 mm |
| TS | 1350 kg / 1500 kg |
| A | Container, trailers and rail cars |

Security Seals



Cable Lock

| | |
|----|-------------------------------------------|
| M | Aluminium body with galvanized steel wire |
| TL | - |
| LL | Customizable |
| D | 2.5 mm / 3.0 mm / 5.0 mm |
| TS | 400 kg / 800 kg / 1500 kg |
| A | Containers, trailers and rail cars |



Mini Cable Lock Premium 2K

| | |
|----|------------------------------------------------------------|
| M | Zinc body fully moulded with ABS and galvanized steel wire |
| TL | - |
| LL | Customizable |
| D | 1.5 mm / 1.8 mm |
| TS | 250 kg / 300 kg |
| A | Tanker trucks, air cargo, containers, valves, calibrators |



Cable Breakaway

| | |
|----|-------------------------------------------|
| M | Aluminium body with galvanized steel wire |
| TL | - |
| LL | Customizable |
| D | 5.0 mm / 1.0 mm / 1.5 mm |
| TS | 100 kg / 150 kg / 250 kg |
| A | Container, trailers and rail cars |

Key Management System

Store and manage your keys in a secure electronic key cabinet

Our KeyConductor is an electronic key cabinet ideal for storing and managing your keys securely, with a full log of keys being taken and returned. It is based on RFID technology and barcodes so that keys are automatically scanned for quick operations and full traceability.

The KeyConductor is designed on the basis of horizontal 'blades'. A blade is a metal strip containing the KeyConductor technology, with 12 key positions. Various cabinet sizes with different numbers of blades are available. The system can be expanded easily.



Indicative Seals



Fast Seal

| | |
|-----------|---------------------------------------------------------------------------------------|
| M | PP (food grade) or Nylon with steel locking clip |
| TL | 180, 250, 310 and 360 mm |
| LL | 130, 200, 250 and 300 mm |
| D | 2.3 mm |
| TS | PP: 18 kg, NY: 21 kg |
| A | Bags, drums, tote boxes, meters, food / duty free carts, ATM cartridges, ballot boxes |



Fast Seal 3.5

| | |
|-----------|--------------------------------------------------|
| M | PP (food grade) or Nylon with Steel locking clip |
| TL | 420, 500 and 570 mm |
| LL | 300, 380 and 460 mm |
| D | 3.5 mm |
| TS | PP: 35 kg, NY: 40 kg |
| A | Bags, sacks, tank trailers |



SP Cash Bag Seal

| | |
|-----------|----------------------------------------------------------------------------------------|
| M | PP (food grade) or Nylon with Steel locking clip |
| TL | 320, 430, 470 and 570 mm |
| LL | 300, 380 and 460 mm |
| D | 3.5 mm |
| TS | PP: 27 kg, NY: 33 kg |
| A | Bags, drums, tote boxes, air cargo containers, food and duty free carts, tank trailers |



Mini Tight Seal

| | |
|-----------|--------------------------|
| M | PP (food grade) or Nylon |
| TL | 200 and 250 mm |
| LL | 130 and 180 mm |
| D | 3.0 mm |
| TS | PP: 12 kg, Nylon: 15 kg |
| A | Bags, sacks |



Mega Twister SP with BC Plate

| | |
|-----------|-------------------------------------------------------------|
| M | Polycarbonate and Acetal with steel wire |
| TL | - |
| LL | Customizable |
| D | Plastic coated wire (0.8mm) Stainless steel wire (0.7mm) |
| TS | 30 kg |
| A | Utility meters, scales, gasoline Pumps, drums, tote boxes |



Triple Tight Seal SP

| | |
|-----------|--------------------------------------------------------------------------------------|
| M | PP (food grade) or Nylon with Acetal locking clip |
| TL | 190, 270, 320mm |
| LL | 120, 200, 250mm |
| D | 4.0 mm |
| TS | PP: 24 kg NY: 30 kg |
| A | Bags, drums, tote boxes, meters, food/duty free carts, ATM Cartridges, ballot boxes. |



Simulock

| | |
|-----------|-----------------------------------------------------------|
| M | PP (food grade) |
| TL | 220 mm |
| LL | 200 mm |
| D | 8.5 mm |
| TS | 28 kg |
| A | Trucks, trailers, containers, roll cages, warehouses etc. |



Mega Padlock

| | |
|-----------|---------------------------------------------------------------------|
| M | PP Copolymers and Locking Insert Acetal |
| TL | - |
| LL | 14 mm |
| D | - |
| TS | 6 – 8.5 kg |
| A | Electric Utilities, cash boxes, Airline food, sales trolley & carts |

Security Boxes, Labels, Tapes, Pouches and Bags



Security Labels

These high-quality adhesive labels reveal tampering/removal, and re-use for security envelopes, cartons and boxes, cash boxes and ATMs and Food and beverage container.



Duty Free Security Bags

Duty Free Tamper Evident bags conform to International Civil Aviation Organisation (ICAO) regulations to enhance airport and duty-free supply chain security.



Gold Bullion Security Box

The GB Box can be used to carry a wide range of High Security goods, including Bulk Coin, Cash Handling, Gold Bullion, Jewellery, High Value Retail Goods, Duty Free Goods,



Mega Security Box

The Mega Casino Box is designed for a wide range of applications in the gaming, financial services, retail and police sectors. With easy manual locking, high visibility of tamper attempts and the ability quickly visually inspect the seal and box contents.



Security Tapes

Security tape is made with highly visible printing on the top surface as a warning to pilferage. The Security Tape provides a clear 'VOID' message on the application when it has been tampered with. Our Security Tape is cold resistant to -40 Degrees, Celsius and is impossible to re-seal once lifted from the surface. Our Security Tape will ensure your packaging meets TSA regulations.



Cash & Transit Security Bags

Our tamper evident bags have applications including cash deposits/ cash in transits, confidential documents, police/forensic evidence and duty-free shopping bags.



Reusable Security Bags

The reusable bag is specifically designed to secure money, confidential documents and sensitive information. When the tamper-evident bag is closed and sealed with the Mega TEBCO DC chamber seal, the security transaction is completed.

Composite Strapping

Strapping by Mega Fortris provides an efficient load securing solution for a wide variety of applications. This is our co-extruded polyester strapping made from high tenacity polyester fibre materials.



| Belt Width | Strength | Meter/Coil |
|------------|----------|------------|
| 13 mm | 480 daN | 1100 |
| 16 mm | 460 daN | 850 |
| 16 mm | 680 daN | 850 |
| 16 mm | 650 daN | 800 |
| 19 mm | 725 daN | 750 |
| 19 mm | 760 daN | 600 |
| 19 mm | 1000 daN | 500 |
| 25 mm | 1260 daN | 450 |
| 25 mm | 1260 daN | 500 |
| 32 mm | 2400 daN | 300 |

Galvanized Wire Buckles

Mega Fortris offers first class buckles perfect for our high quality lashing and strapping products. Choosing the right buckle for the specific job is essential to secure the load and prevent damages.

We are providing a wide range of buckles for different load carriers and load applications that meet international recognised standards.



| For width | Piece/box |
|-----------|-----------|
| 13 mm | 1000 |
| 16 mm | 1000 |
| 19 mm | 1000 |
| 25 mm | 500 |
| 32 mm | 250 |

Tensioners



| Item | Belt Width |
|-----------|------------|
| Tensioner | 9 to 50 mm |



Dispenser Cart

Inflator





Venturi Fast Filling System

- Save Compressed Air
- Higher Security against over inflation
- Hands - Free

Desiccants

- Clay & Starch based



DUNNAGE AIR BAGS

Dunnage Air Bags protect your cargo from sliding, falling, tilting and other forces. Placed in the gaps/void between cargos or container walls and filled up with air, the bags allow no space for the cargo to move at all.

| Dunnage Bag | Type | Available Sizes | Filling Pressure |
|-------------|-----------------|------------------------------|------------------|
| 1 ply Paper | Mega Flow Valve | 90 x 120 cm | 18 kPa 20 kPa |
| 2 ply Paper | | 90 x 150 cm | |
| 4 ply Paper | | 90 x 180 cm | |
| Woven PP | | 120 x 150 cm 120 x 180 cm | |



Paper Dunnage Bags

Woven PP Dunnage Bags

LASHING

Lashing straps are utilized to tie bulky goods together and to fix them on suitable carriers. In combination with our buckles and fasteners, a reliable connection between product and carrier is established.






| Item | Packaging | Colour | Sizes | Length | Strength |
|---------------------------------|---------------|-----------------|-------|-----------|----------------------|
| Mega Woven Lashing with Buckles | Rolls Bags | White Orange | 32 mm | 2 x 125 m | 3200 daN 8000 daN |
| | | | 35 mm | 100 m | |
| | | | 40 mm | 200 m | |
| | | | 50 mm | 250 m | |

4 – POINT LASHING

The weakest link when securing cargo are the lashing points inside the container. Therefore it is important to use as many lashing points as possible to divide the force between them.


Our system uses 4 lashing points instead of 2 on each side of the container, so we can reach a much higher securing force, as specified in the CTU Code manual.

The IMO lashing system doesn't need hooks for its application to the lashing points, and is not only our strongest, but also most economic version.



MEGA APP

Asset Management Mobile App -



Scan, photo and reporting of shipment transportation.

Identifies WHAT, WHO, WHERE, WHEN.

Quick and easy tracking and reporting.

iOS and Android supported.



IN OVER 20 COUNTRIES !

Mega Fortris Global Offices

UNITED ARAB EMIRATES

Mega Fortis ME FZCO
P.O. Box 341329
Dubai Silicon Oasis Headquarters
D Wing, Office 108
Dubai Silicon Oasis, Dubai
United Arab Emirates
Tel: +971 (0) 4 372 4300
Fax: +971 (0) 4 372 4305
Email : sales.me@megafortris.ae
www.megafortris.ae

CORPORATE HEADQUARTERS

Mega Fortris (Malaysia) Sdn. Bhd.
29 Jalan Anggerik Mokara 31/47
Kota Kemuning, Seksyen 31
40460 Shah Alam,
Selangor, MALAYSIA
Tel: + 60 3 5122 6118
Fax: +60 3 5121 7118

FRANCE

Mega Fortris France SAS
Acticentre, Bât K
156 / 220 Rue des Famards
F-59273 Fretin FRANCE
Tel: +33 320 976 425
Fax: +33 320 320 175

UNITED KINGDOM

Mega Fortris (UK) Ltd
Unit 18-Zone 3 Cinder Road
Burntwood Business Park
Burntwood, Staffordshire WS7 3FS
United Kingdom
Tel: +44 (0)1543 677256
Fax: +44 (0)1543 677259

SAUDI ARABIA

Mega Fortis Saudi Arabia
(c/o Modern Eastern Services Co)
2nd Floor, Al Dawaa Pharmacy Bldg
King Fahd Road, Madinat Ummal
Dammam 31472,
Kingdom of Saudi Arabia
Tel: +966-13-8055496,
+966-13-8060022, +966-13-8060033.
Email : sales@mdestsafety.com
www.megaafortris.sa.com

DENMARK

Mega Fortris (Europe) ApS Ltd
Aa. Louis-Hansens Alle 4
3060 Espergaerde DENMARK
Tel: +45 7023 0104
Fax: +45 4912 2474

HONG KONG

Mega Fortris (HK) Limited
14th Floor Shui Fung Comm Bldg,
51 Johnston Road
Wan Chai HONG KONG.
Tel: +85 2 3149 6612
Fax: +85 2 3149 6607

JAPAN

Mega Fortris Japan Co Ltd
2F Hasegawa Bldg,
4 Kanda Iwamoto-cho
Chiyoda-ku, Tokyo JAPAN.
Tel: +81 3 6206 9010
Fax: +81 3 6206 9225

SWEDEN

Mega Fortris Nordic AB
Box 1020
SE-251 10 Helsingborg
SWEDEN
Tel: +46 42 300 92 50
Fax: +46 42 300 90 40

UNITED STATES OF AMERICA

Mega Fortris Americas
3 Chris Court, Suite E
Dayton, NJ 08810
USA.
Tel: +1 713 230 3015
Fax: +1 713 230 3367
Toll Free: 1-866-MF-SEALS

HUNGARY

Mega Fortris Hungary Limited
Fehérvári út 83-85
Budapest HU-1119
Hungary
Tel: +361 205 5838
Fax: +361 205 5815

AUSTRALIA

Mega Fortris Australia Pty Ltd
Unit 2, 20 Wilmette Place
MONA VALE
NSW 2103 AUSTRALIA
Tel: +61 2 9999 2324
Fax: (to be advised)

CHINA

Shaoxing Mega Fortris Seals Co Ltd
Qi Yang Gong Lu, Qi Xian Town
Shaoxing County, Zhejiang Province
312065 CHINA.
Tel: +86 575 557 7685
Fax: +86 575 557 7682

INDONESIA

PT Mega Fortris Indonesia
Jalan Sultan Iskandar Muda,
No 100 Kebayoran Lama,
Jakarta 12240 INDONESIA
Tel: +62 21 723 8322/3
Fax: +62 21 723 8324

SINGAPORE

Mega Fortris (Singapore) Pte Ltd
11 Woodlands Close
#04-12 Woodlands 11
Singapore 737853
Tel: +65 6296 1118
Fax: +65 6877 9450

NEW ZEALAND

Security Seals Ltd
PO BOX 44213 Pt Chevalier
Auckland NEW ZEALAND
Tel: +64 9 845 0045
Fax: +64 9 845 0045